

# SUBJECT INDEX—Volume 14 (1989)

Volume 14, Number 1 (Jan.-Feb.), contains pages 1-52; Number 2 (March-April), 53-97; Number 3 (May-June), 99-160; Number 4 (July-Aug.), 161-206; Number 5 (Sept.-Oct.), 207-260, and Number 6 (Nov.-Dec.), 261-312.

- Adominal aortic surgery, epidural morphine for, pharmacokinetics of, 107
  - Abdominal cancer, nonpancreatic, neurolytic celiac plexus block in, 63
  - Acute pain, and injury response (Bonica Lecture), 162
  - Age, and bupivacaine central nervous system toxicity, 288
  - Air embolism, in cesarean delivery, Doppler and oximetric monitoring for, 145
  - Air injection, epidural, deliberate, radiography of, 180
  - Alkalinization. *See* pH adjustment
  - Allergic reaction, to epidural steroid deposition and skin testing, 253
  - American Society of Regional Anesthesia, Annual Meeting (March 30-April 2, 1989), abstracts from, March-April 1989 Supplement
  - Amide local anesthetics, pH adjustment schedule for, 229
  - Anesthesiologist, changing role of in pain management (ASRA Lecture), 4
  - Apnea, post-retrobulbar, 203
  - Axillary brachial plexus block, continuous, mepivacaine serum levels in, 124
  - Backache, after epidural obstetric analgesia, and spinal cord compression, 256
  - Barbotage, in spinal anesthesia, with hyperbaric tetracaine and bupivacaine, 26
  - Bicarbonate. *See* pH adjustment
  - Bilateral interpleural analgesia, 95
  - Bleeding disorders, obstetric analgesia in, 95
  - Brachial plexus block
    - continuous axillary, mepivacaine serum levels in, 124
    - postoperative, buprenorphine vs. morphine for, 274
  - Bupivacaine
    - bilateral interpleural injection of, 93
    - cardiotoxicity of, 58
    - cardiovascular depression by, nifedipine enhancement of, 19
    - cardiovascular response to, in hypertensive elderly, 66
    - central nervous system toxicity of, and age, 288
    - and diazepam, cardiac and hemodynamic effects of, 298
    - epidural
      - obstetric
        - and diluent fentanyl, 279
        - epinephrine with, 219
        - morphine vs. butorphanol augmentation of, 115
        - and somatosensory evoked potentials, 72
        - in thoracic surgery, 183
      - glucose-free, isobaricity vs. hypobaricity of, 195
      - pH adjustment of
        - and latency of epidural anesthesia, 236
        - schedule for, 229
      - pleural permeability to, 128
      - spinal
        - hyperbaric, and barbotage, 26
        - warming of, and duration of anesthesia, 199
  - Buprenorphine
    - vs. lidocaine, antinociceptive effects of, 138
    - vs. morphine, for postoperative brachial plexus block, 274
  - Butorphanol, with bupivacaine, in labor and delivery, 115, 219
  - Cancer, nonpancreatic intra-abdominal, neurolytic celiac plexus block in, 63
  - Cancer pain, outpatient control for, sufentanil for, 293
  - Cardiac pacemaker insertion, regional anesthesia for, 81
  - Cardiotoxicity, of local anesthetics, 58
  - Cardiovascular depression, bupivacaine, nifedipine enhancement of, 19
  - Catheter, epidural, short-term use of, infection in, 88
  - Celiac plexus block, in nonpancreatic intra-abdominal cancer, 63
  - Central nervous system toxicity, bupivacaine, and age, 288
  - Cervical epidural steroid nerve blocks, complications of, 149
  - Cesarean section
    - anesthesia for. *See* Obstetric anesthesia
    - venous air embolism in, Doppler and oximetric monitoring for, 145
  - Chest trauma, continuous epidural morphine for, 43
  - Children, continuous epidural morphine infusion in, 152
  - China, microsurgical anesthesia in, 55
  - Chlorprocaine, with sodium metabisulfite, and vascular reactivity, 271
  - Chronic renal failure, spinal anesthesia in, paraplegia after, 155
  - Coagulopathy, obstetric analgesia in, 95
  - Cortisol, postoperative, after bupivacaine and sufentanil epidural analgesia, 183
  - Dextran 40, epidural injection of, for post-lumbar puncture headache, 78
  - Diazepam, and bupivacaine, cardiac and hemodynamic effects of, 298
  - Disc herniation, after epidural obstetric analgesia, 256
  - Doppler monitoring, for venous air embolism, in cesarean delivery, 145
  - Dural puncture
    - headache after, 101
    - epidural blood patch for, 247
  - Embolism, venous air, in cesarean delivery, Doppler and oximetric monitoring for, 145
  - Epidural air injection, deliberate, radiography of, 180
  - Epidural analgesia
    - bupivacaine
      - epinephrine and fentanyl with, 189
      - and somatosensory evoked potentials, 72
      - with sufentanil or nicomorphine, after thoracic surgery, 212
    - morphine
      - continuous
        - in children, 152
        - in multiple rib fractures, 43
  - obstetric
    - bupivacaine, and diluent fentanyl, 279
    - continuous, rate of infusion in, 31
    - and spinal cord compression, 256
    - sufentanil for, 225
    - in von Willebrand's disease, 95
  - sufentanil
    - and bupivacaine, in thoracic surgery, 183
    - for outpatient cancer pain control, 293
- Epidural anesthesia
  - bilateral Horner's syndrome and hoarseness after, 10
  - bupivacaine
    - pH adjustment of
      - for cesarean section, 240
      - and latency, 236
    - and gastrointestinal motility, 35
    - lidocaine, shivering after, 13
    - mepivacaine, pH-adjusted, 121
    - morphine, in abdominal aortic surgery, pharmacokinetics of, 107
  - obstetric
    - bupivacaine
      - morphine vs. butorphanol augmentation of, 115
      - pH adjustment of, 240
    - Guillain-Barré syndrome after, 251
    - lidocaine, predictability of spread of, 133
    - sufentanil, 282
    - temperature changes and shivering after, 48
- Epidural blood patch, for post-dural headache, 247
- Epidural catheter, short-term use of, and infection risk, 88

- Epidural injection, of Dextran 40, for post-lumbar puncture headache, 78
- Epidural needle placement, two-person technique for, 85
- Epidural steroid injection, allergic or pseudoallergic reaction to, 253
- Epidural steroid nerve blocks, cervical, complications of, 149
- Epiduroarachnoiditis, epidural infusion after, two-person technique for, 85
- Epinephrine, as epidural bupivacaine adjuvant, 189
- Etidocaine, pH adjustment schedule for, 229
- Etylketocyclazocine, vs. lidocaine, antinociceptive effects of, 138
- Evoked potentials, somatosensory, and epidural bupivacaine, 72
- Eye surgery, and post-retrobulbar apnea, 203
- Fentanyl  
   dilution of, in bupivacaine epidural obstetric analgesia, 279  
   as epidural bupivacaine adjuvant, 189  
   vs. lidocaine, antinociceptive effects of, 138
- Flail chest, continuous epidural morphine for, 43
- Fractures, rib, continuous epidural morphine for, 43
- Gastrointestinal motility, and epidural and spinal anesthesia, 35
- Glossopharyngeal nerve block, ultrasound-guided, 304
- Guillain-Barre syndrome, after obstetric epidural anesthesia, 251
- Headache  
   post-dural puncture, 101  
   epidural blood patch for, 247  
   post-lumbar puncture, epidural Dextran 40 for, 78
- Hematoma, subarachnoid, after spinal anesthesia, in chronic renal failure, 155
- Herpes zoster, thoracic, pleural analgesia for, 244
- Hoarseness, and Horner's syndrome, after lumbar epidural anesthesia, 10
- Horner's syndrome, and hoarseness, after lumbar epidural anesthesia, 10
- Hypertension, bupivacaine spinal anesthesia in, cardiovascular response to, 66
- Infection, and short-term epidural catheterization, 88
- Injury response, and acute pain (Bonica Lecture), 162
- Interpleural analgesia, bilateral, with bupivacaine, 93
- Intervertebral disc herniation, after epidural obstetric analgesia, 256
- Labat, Gaston, and future of regional anesthesia (Labat Lecture), 261
- Labor and delivery. *See* Cesarean section; Obstetric analgesia; Obstetric anesthesia
- Laminectomy, epidural infusion after, two-person technique for, 85
- Lidocaine  
   cardiotoxicity of, 58  
   epidural  
     obstetric, predictability of and spread of, 133  
     shivering after, 13  
   vs. opioids, antinociceptive effects of, 138  
   pH adjustment schedule for, 229  
   pleural permeability to, 128
- Local anesthetics, pH adjustment of. *See* pH adjustment
- Lumbar puncture, headache after, epidural Dextran 40 for, 78
- Meperidine, vs. lidocaine, antinociceptive effects of, 138
- Mepivacaine  
   pH adjustment of, 121, 229  
   serum levels of, in continuous axillary brachial plexus block, 124
- Microsurgical anesthesia, in China, 55
- Morphine  
   with bupivacaine, in obstetric analgesia, 115  
   vs. buprenorphine, for postoperative brachial plexus block, 274  
   epidural  
     in abdominal aortic surgery, pharmacokinetics of, 107  
     continuous  
       in children, 152  
       in multiple rib fractures, 43  
   vs. lidocaine, antinociceptive effects of, 138
- Myocardial contractility, and local anesthetics, 58
- Narcotics, vs. lidocaine, antinociceptive effects of, 138
- Neurolytic celiac plexus block, in nonpancreatic intra-abdominal cancer, 63
- Neurotoxicity, bupivacaine, and age, 288
- Nicomorphine, with epidural bupivacaine, after thoracic surgery, 212
- Nifedipine, and bupivacaine cardiovascular depression, 19
- Obstetric analgesia  
   bupivacaine, and diluent fentanyl, 279  
   continuous, rate of infusion in, 31  
   spinal cord compression after, 256  
   sufentanil in, 225  
   in von Willebrand's disease, 95
- Obstetric anesthesia  
   bupivacaine  
     with butorphanol and epinephrine, 219  
     morphine vs. butorphanol augmentation of, 115  
     pH adjustment of, 240  
   Guillain-Barré syndrome after, 251  
   lidocaine, predictability of spread of, 133  
   sufentanil, 282  
   temperature changes and shivering after, 48
- Ophthalmologic surgery, and post-retrobulbar apnea, 203
- Opioids vs. lidocaine, antinociceptive effects of, 138
- Oximetry, pulse, for venous air embolism, in cesarean delivery, 145
- Pacemaker insertion, regional anesthesia for, 81
- Pain  
   acute, and injury response (Bonica Lecture), 162  
   management, of anesthesiologist's changing role in, 4  
   phantom limb (Labat Lecture), 208  
   postoperative. *See* Postoperative pain
- Paraplegia, after spinal anesthesia, in chronic renal failure, 155
- Pediatric analgesia, continuous epidural morphine, 152
- pH adjustment  
   of bupivacaine  
     in cesarean section, 240  
     and latency of epidural anesthesia, 236  
   of local anesthetics  
     evaluation of alkalization and precipitation for, 265  
     schedule for, 229
- Phantom limbs (Labat Lecture), 208
- Pleural analgesia, for thoracic herpes zoster, 244
- Pleural permeability, to local anesthetics, 128
- Post-retrobulbar apnea syndrome, 203
- Postoperative pain  
   brachial plexus block for, buprenorphine vs. morphine for, 274  
   epidural bupivacaine for  
     with nicomorphine, 183  
     with sufentanil, 183, 212
- Precordial Doppler monitoring, for venous air embolism, in cesarean delivery, 145
- Pseudoallergic reaction, to epidural steroid deposition and skin testing, 253
- Pulse oximetry, for venous air embolism, in cesarean delivery, 145
- Radiography, of deliberate epidural air injection, 180
- Reflex sympathetic dystrophy, sufentanil stellate ganglion injection with, 90
- Renal failure, chronic, spinal anesthesia in, paraplegia after, 155
- Rib fractures, continuous epidural morphine for, 43
- Shivering  
   after epidural anesthesia for cesarean section, 48  
   after epidural lidocaine, 13
- Small intestinal transit, and epidural and spinal anesthesia, 35
- Sodium bicarbonate. *See* pH adjustment
- Sodium channel blockade, and contractility effects of local anesthetics, 58
- Sodium metabisulfate, with chlorprocaine, and vascular reactivity, 271

- Somatosensory evoked potentials, epidural bupivacaine effect on, 72
- Spinal anesthesia
- bupivacaine
    - cardiovascular response to, in hypertensive elderly, 66
    - duration of, and warming of solution, 199
    - and gastrointestinal motility, 35
    - with hyperbaric tetracaine and bupivacaine, barbotage in, 26
    - paraplegia after, in chronic renal failure, 155
  - Spinal cord compression, after epidural obstetric analgesia, 256
  - Stellate ganglion injection, sufentanil, in reflex sympathetic dystrophy, 90
  - Steroid cervical epidural nerve blocks, complications of, 149
  - Steroids, epidural injection of, allergic or pseudoallergic reaction to, 253
  - Subarachnoid hematoma, after spinal anesthesia, in chronic renal failure, 155
  - Sufentanil
    - epidural
      - in obstetric analgesia, 225
      - for outpatient cancer pain control, 293
      - in thoracic surgery, 183
    - with epidural bupivacaine, after thoracic surgery, 212
    - in epidural obstetric anesthesia, 282
    - stellate ganglion injection with, in reflex sympathetic dystrophy, 90
  - Temperature changes, and shivering, after obstetric epidural anesthesia, 48
  - Tetracaine, hyperbaric, in spinal anesthesia, and barbotage, 26
  - Thoracic herpes zoster, pleural analgesia for, 244
  - Thoracic surgery
    - bupivacaine with epidural analgesia for
      - with nicomorphine, 183
      - with sufentanil, 183, 212
    - Thoracic trauma, continuous epidural morphine for, 43
    - Triamcinolone diacetate, allergic or pseudoallergic reaction to, 253
  - Ultrasound guidance, in glossopharyngeal nerve block, 304
  - Venous air embolism, in cesarean delivery, Doppler and oximetric monitoring for, 145
  - Von Willebrand's disease, epidural obstetric analgesia in, 95

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 12, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1989. Title of Publication—Regional Anesthesia; Frequency of Issue—Bimonthly; Annual Subscription Price—\$65.00; Location of Known Office of Publication—Downsville Pike, Rt. 3, Box 20-B, Hagerstown, MD 21740; Location of the Headquarters or General Business Offices of the Publisher—East Washington Square, Philadelphia, PA 19105; Publisher—American Society of Regional Anesthesia, East Washington Square, Philadelphia, PA 19105; Editor—Phillip O. Bridenbaugh, M.D., Department of Anesthesia, Univ. of Cincinnati Medical Center, 231 Bethesda Ave., Cincinnati, OH 45267; Managing Editor—Lisa Marshall, East Washington Square, Philadelphia, PA 19105; Owner—American Society of Regional Anesthesia, 1910 Byrd Ave., Suite 118, P.O. Box 11086, Richmond, VA 23230-1086. Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 6340, actual 6300; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 5658, actual 5588; C. Total paid circulation, average 5658, actual 5588; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 169, actual 182; E. Total distribution (*sum of C and D*), average 5827, actual 5770; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 513, actual 530, 2. Returns from news agents, none; G. Total (*sum of E & F—should equal net press runs shown in A*), average 6340, actual 6300. I certify that the statements made by me above are correct and complete. J. W. Lippincott, *Publisher*.